

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/773,971	01/31/2001	Eric G. Lang	MS#150411.1/40062.86US01 6285	
7590 03/25/2005			EXAMINER	
Homer L. Knearl			VU, THANH T	
Merchant & Go	ould P.C.		D. DED 150 (DDD	
P.O. Box 2903			ART UNIT	PAPER NUMBER
Minneapolis, MN 55402-0903			2174	
		DATE MAILED: 03/25/2005		

Please find below and/or attached an Office communication concerning this application or proceeding.

		Ar	oplication No.	Applicant(s)		
			9/773,971	LANG, ERIC G.		
Office Action Summary		Ex	aminer	Art Unit		
		Th	nanh T. Vu	2174		
Period fo	The MAILING DATE of this commun or Reply	ication appears	s on the cover sheet with the c	orrespondence address		
THE - Exte after - If the - If NC - Failt Any	ORTENED STATUTORY PERIOD F MAILING DATE OF THIS COMMUNI nsions of time may be available under the provisions SIX (6) MONTHS from the mailing date of this comn period for reply specified above is less than thirty (3 period for reply is specified above, the maximum st tre to reply within the set or extended period for reply reply received by the Office later than three months a ed patent term adjustment. See 37 CFR 1.704(b).	CATION. of 37 CFR 1.136(a). nunication. 0) days, a reply withiatutory period will ap will, by statute, caus	In no event, however, may a reply be timing the statutory minimum of thirty (30) days ply and will expire SIX (6) MONTHS from se the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. O (35 U.S.C. § 133).		
Status						
1)[🛛	Responsive to communication(s) filed on <u>03 January 2005</u> .					
2a)□						
3)□						
Disposit	ion of Claims					
5)□						
Applicat	ion Papers					
9)[The specification is objected to by th	e Examiner.				
10)	☐ The drawing(s) filed on is/are: a)☐ accepted or b)☐ objected to by the Examiner.					
	Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).					
11)	Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.					
Priority (under 35 U.S.C. § 119		,			
_	Acknowledgment is made of a claim	for foreign pric	ority under 35 U.S.C. § 119(a)	-(d) or (f).		
a)	All b) Some * c) None of: 1. Certified copies of the priority 2. Certified copies of the priority 3. Copies of the certified copies application from the Internation See the attached detailed Office action	documents ha documents ha of the priority on al Bureau (Po	ive been received. Ive been received in Application Idocuments have been receive CT Rule 17.2(a)).	on No ed in this National Stage		
Attachmen	` '					
1) Notice	e of References Cited (PTO-892) of Draftsperson's Patent Drawing Review (P	TO-948)	4) Interview Summary Paper No(s)/Mail Da			
3) 🛛 Infor	mation Disclosure Statement(s) (PTO-1449 or er No(s)/Mail Date <u>01/19/2005</u> .			atent Application (PTO-152)		

Art Unit: 2174

DETAILED ACTION

This communication is responsive to Amendment, filed 01/03/2005.

Claims 33-64 are pending in this application. In the Amendment, claims 1-32 were cancelled, and claims 33-64 were added.

Claim Rejections - 35 USC § 101

35 U.S.C. 101 reads as follows:

Whoever invents or discovers any new and useful process, machine, manufacture, or composition of matter, or any new and useful improvement thereof, may obtain a patent therefor, subject to the conditions and requirements of this title.

Claims 55-64 are rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter, specially a software program product. Software program product claimed as a set of instructions to be executed by a processor per se, i.e., the descriptions or expressions of the program, are not physical "things," nor are they statutory processes, as they are not "acts" being performed. Such claimed software program product do not define any structural and functional interrelationships between the software program and other claimed aspects of the invention which permit the computer program's functional to be realized. In contrast, a claimed computer readable medium encoded with a computer program defines structural-and-functional interrelationships between the software program and the medium which permit the computer program's functionality to be realized, and is thus statutory. See MPEP \$2106 Section IV.B.1(a).

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2174

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 33-62, and 64 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beaton et al. ("Beaton", U.S. Pat. No. 6037937), and Eftekhari (Pub. No. 2002/0024505).

Per claim 33, Beaton teaches a method for providing a user interface for an electronic device having a housing that includes a display, the method comprising:

providing an input element on the housing wherein the input element is separate from the display (fig. 3A; keypad 330 with navigational control);

displaying information in a foreground of the display (figs. 3A and 3B; display 340); and displaying a control image in a background of the display, the control image indicating a task to be performed by the electronic device when the control image is activated (fig. 8; col. 5, lines 19-26 and lines 40-54). Beaton does not teach associating the control image with the input element so that activation of the input element initiates performance-of-the-task-indicated by the control image. However, Eftekhari teaches associating the control image with the input element so that activation of the input element initiates performance of the task indicated by the control image ([0017]). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include the teaching of Eftekhari in the invention of Beaton in order to

Art Unit: 2174

allow user to easily associating a key of a handheld device with a function displayed on the display screen.

Per claim 34, Beaton teaches the method of claim 33 wherein the act of associating the control image with the input element includes positioning the control image in the background of the display proximate the input element (figs. 3A and 10A-10C; navigational control on keypad 330).

Per claim 35, Beaton and Eftekhari teach the method of claim 33 further comprising: providing a plurality of input elements on the housing separate from the display (Beaton, fig. 3A; navigational control on keypad 330);

displaying a plurality of control images in the background of the display (Beaton, figs. 9A-9C; col. 40-54); and

associating each of the control images with a different one of the plurality of input elements (Eftekhari, [0017]).

Per claim 36, Eftekhari teaches the method of claim 35 wherein the act of associating each of the control images with a different one of the plurality of input elements includes positioning each of the control images in the background of the display proximate a separate one of the input elements ([0017]).

Per claim 37, Beaton teaches the method of claim 35 further comprising:

defining a plurality of regions within the background of the display (col. 6, lines 35-43);

and

positioning each of the control images within one of the defined regions (fig. 9A-10C; col. 5, lines 40-54).

Art Unit: 2174

Per claim 38, Beaton and Eftekhari teach the method of claim 37 wherein the act of associating each of the control images with a different one of the plurality of input elements includes positioning each of the input elements proximate a separate one of the defined regions (Eftekhari, [0017]; and Beaton, fig. 3A; keypad 330; col. 5, lines 40-54).

Per claim 39, Beaton teaches the method of claim 35 wherein each of the input elements comprise a button positioned on the housing (fig. 3A; keypad 330).

Per claim 40, Beaton teaches the method of claim 39 wherein the electronic device comprises a watch (col. 4, lines 10-14).

Per claim 41, Beaton and Eftekhari teach the method of claim 33 wherein the input element is a joystick, a rocker

switch, a rotary dial, or a slide bar, and wherein the input element provides for movement in at least two directions, the method further comprising (Beaton, col. 1, lines 56-64):

displaying a plurality of control images in the background of the display (Beaton, fig. 9A-10C; col. 5, lines 19-26 and lines 40-54); and

associating each of the control images with a different directional movement of the input element (Eftekhari, [0017]).

Per claim-42, Beaton-teaches-the-method-of-claim-41_wherein_the_act_of associating_each of the control images with a different directional movement of the input element includes:

defining a plurality of regions within the background of the display, each of the regions corresponding to one of the directional movements of the input element (fig. 9A-10C; col. 5, lines 19-26 and lines 40-54); and

Art Unit: 2174

positioning each of the control images within one of the defined regions (fig. 9A-10C; col. 5, lines 19-26 and lines 40-54).

Per claim 43, Beaton teaches a method for inputting control signals to an electronic device, the electronic device having a housing and a graphical user interface that includes a display, the method comprising:

providing an input element on the housing wherein the input element is separate from the display (fig. 3A; keypad 330 with navigational control); generating an information screen (fig. 3A and 3B; information screen 340); generating a control screen having at least one control image, the control image indicating a task to be performed by the electronic device when the control image is activated (figs. 9A-10C; col. 5, lines 19-26, and lines 40-54); combining the information screen and the control screen into a composite screen such that the information screen and the control screen appear in an overlapping fashion (figs. 10A-10C; col. 5, lines 19-26; col. 6, lines 25-35); and displaying the composite screen in the display (figs. 10A-10C; col. 5, lines 19-26; col. 6, lines 25-35).

Beaton does not teach associating the control image with the input element so that activation of the input element initiates performance of the task indicated by the control image.

However, Eftekhari teaches associating the control image-with the input-element so that activation of the input element initiates performance of the task indicated by the control image ([0017]). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to include the teaching of Eftekhari in the invention of Beaton in order to allow user to easily associating a key of a handheld device with a function displayed on the display screen.

Page 7

Claim 44 is rejected under the same rationale of claim 34.

Per claim 45, Beaton teaches the method of claim 43 wherein the combining operation includes blending the information screen and the control screen such that the information screen appears in front of the control screen (figs 8 and 10A-10C; col. 5, lines 19-26 and col. 6, lines 26-35).

Per claim 46, Beaton teaches the method of claim 43 wherein the combining operation includes blending the information screen and the control screen such that the control screen appears in front of the information screen (figs 8 and 10A-10C; col. 5, lines 19-26 and col. 6, lines 26-35).

Claims 47-54 are rejected under the same rationale as claims 35-42 respectively.

Claim 55 is rejected under the same rationale as claim 43.

Per claim 56, Beaton teaches the computer program product of claim 55 wherein the computer process further comprises receiving an activation signal from the input element (fig. 4 and 5; col. 6, lines 51-63).

Per claim 57, Beaton teaches the computer program product of claim 56 wherein the computer process further comprises performing the task indicated by the control image associated with the input element after the activation signal-is-received-(fig. 4-and-5;-col.-6, lines 51-63).

Claims 58 and 59 are rejected under the same rationale as claims 44 and 46 respectively.

Claims 60-62 are rejected under the same rationale as claims 47, 49, and 50 respectively.

Claim 64 is rejected under the same rationale as claim 52.

Page 8

Art Unit: 2174

Claims 63 are rejected under 35 U.S.C. 103(a) as being unpatentable over Beaton et al. ("Beaton", U.S. Pat. No. 6037937), Eftekhari (Pub. No. 2002/0024505), and Hoeksma (U.S. Pat. No. 6,271,835).

Per claim 63, Beaton and Eftekhari teach the computer program product of claim 62, but do not teach the computer process further comprises loading a character set, the character set including a plurality of individual characters; dividing the character set into character subsets; representing each of the character subsets as a separate control image in the control screen; receiving an activation signal from one of the input elements representing a selection of one of the character subsets; narrowing a range of the individual characters within the character set to the selected character subset; and repeating the dividing, representing, receiving, and narrowing operations until a selection of one of the individual characters is made. However, Hoeksman teaches the computer process further comprises loading a character set, the character set including a plurality of individual characters (fig. 2; col. 2, lines 24-48; and col. 4, lines 11-26); dividing the character set into character subsets (fig. 2; col. 2, lines 24-48; and col. 4, lines 11-26); representing each of the character subsets as a separate control image in the control screen (fig. 2; col. 2, lines-24-48; and col. 4, lines-1-1-26); receiving an activation signal from one of the input elements representing a selection of one of the character subsets; narrowing a range of the individual characters within the character set to the selected character subset (fig. 2; col. 2, lines 24-48; and col. 4, lines 11-26); and repeating the dividing, representing, receiving, and narrowing operations until a selection of one of the individual characters is made (fig. 2; col. 2, lines 24-48; and col. 4, lines 11-26). Therefore, it would have

been obvious to one of ordinary skill in the art at the time of the invention to include the teaching of Hoeksma in the invention of Beaton and Eftekhari because it provides users with a clear and intuitive method of data input in an area of limited space.

Response to Arguments

Applicant's arguments with respect to the Amendment have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure.

Read (U.S. Pat. No. 6,443,614) discloses wrist-worm instrument face with indicating icons for programming.

Morin (Pub. No. 2002/0128837) discloses voice binding for user interface navigation system.

Millington (U.S. Pat. No. 6,037,942) discloses a navigation system character input device.

Chang et al. (U.S. Pat. No. 6,016,142) discloses rich character set entry from a small numeric keypad.

Inquiries

Art Unit: 2174

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Thanh T. Vu whose telephone number is (571) 272-4073. The examiner can normally be reached on Mon-Thur and every other Fri 8:30 AM - 6:00 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kristine L. Kincaid can be reached on (571) 272-4063. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

T. Vu

Cristine Zincaic KRISTINE KINCAID SUPERVISORY PATENT EXAMINEN TECHNOLOGY CENTER 2100